







### **Cheminova Products**

- ALERT Herbicide
- DAWN Herbicide
- RHYTHM Herbicide
- TACKLE Herbicide
- SU Herbicides
- DECLARE Insecticide
- TOPGUARD Fungicide









#### **ALERT Herbicide**

- ALERT (Clomazone)
  - Tested 2008 & 2009
  - 3 lb ai/gal
  - 5G formulation developed for CA rice
  - Field trials- Rice, Soybean & Sugarcane
  - Premix with metribuzin was tested
  - Section 3 Registration Feb 2010





### ALERT PRE Rice AR



**UNTREATED** 



ALERT 0.40 Lb ai/A- 28 DAA




COMMAND ME 0.40 lb ai/A-28 DAA





- ALERT PRE provided control of Echinochloa (barnyardgrass) Leptochloa (sprangletop) & Brachiaria (signalgrass) = to Command ME
- Rice tolerance acceptable and comparable to Command ME
- No evidence of movement outside of plots to nontarget plants.














## (Fomesafen)

- Trials initiated in 2008 & 2009
- DAWN is 2AS
- RHYTHM is 1.88 ME
- DAWN focused SE EPP/PRE Cotton /POST Soybean
- RHYTHM focused POST Soybean
- Driver in market is resistant glyphosate weeds






# TACKLE® HERBICIDE







- Performance was Excellent
- Equal to or better than Extreme
- No reported problems with formulations
- 2 quarts/A included and effective with slight crop injury





### (New 2010)...

Cheminova	Active	Use As
Brand	Ingredient	Alt. For
EDITION TANKMIX ™	40% Thifensulfuron	Affinity® Tankmix
	10% Tribenuron	
EDITION BROADSPEC ™	25% Thifensulfuron	Affinity® Broadspec
	25% Tribenuron	







- Burndown option for FirstShot
- Use in combo with Glyfos X-TRA or glyphosate/Ignite or residual herbicides



**UNTREATED-Steckel UTN** 



EDITION BROADSPEC + Glyfos X-TRA 0.8 10 14 AVA + 32 FI Oz/A-76DAA



## O DECLARE INSECTICIDE

- Received CA registration Nov 02 09
- Label being updated to include cucurbits, tuberous crops and grass forage, fodder & hay
- Included in numerous University Cooperators program
- Performance has been very consistent





## New Product Overview FEBRUARY 2010

- ALERT HERBICIDE
- EDITION BROADSPEC HERBICIDE
- SOLIDA HERBICIDE
- TOPGUARD FUNGICIDE
- FYFANON ULV INSECTICIDE





- ALERT PRE provided control of Echinochloa (barnyardgrass) Leptochloa (sprangletop) & Brachiaria (signalgrass) = to Command ME
- Rice tolerance acceptable and comparable to Command ME
- No evidence of movement outside of plots to nontarget plants.





- ALERT PRE provided control of Echinochloa (barnyardgrass) Leptochloa (sprangletop) & Brachiaria (signalgrass) = to Command ME
- Rice tolerance acceptable and comparable to Command ME
- No evidence of movement outside of plots to nontarget plants.







- Burndown option in the following states:
- AL,AR,FL,LA,MO,MS,TN,TX
- Use in combo with Glyfos X-TRA or glyphosate/Ignite or residual herbicides



**UNTREATED-Steckel UTN** 



EDITION BROADSPEC + Glyfos X-TRA 0.840211AVA + 32 Fl Oz/A- 76DAA




- Section 3 Registration-Soybean-MID FEBRUARY 2010 Soybean Rust
  - Includes rate range from 7-14 FI Oz/A
  - 2<sup>nd</sup> application ranges from 21-35 days
  - Added frogeye leaf spot, Cercospora blight & leaf spot, powdery mildew, brown spot
    - Includes rates of 7-10 FI Oz/A
    - 2<sup>nd</sup> application 14-21 days
- 2 hour rainfastness







Dr. Ray Schneider







## (Fomesafen)

- Trials initiated in 2008 & 2009
- DAWN is 2AS
- RHYTHM is 1.88 ME
- DAWN focused SE EPP/PRE Cotton /POST Soybean
- RHYTHM focused POST Soybean
- Driver in market is resistant glyphosate weeds





## (Fomesafen)

- Trials initiated in 2008 & 2009
- DAWN is 2AS
- RHYTHM is 1.88 ME
- DAWN focused SE EPP/PRE Cotton /POST Soybean
- RHYTHM focused POST Soybean
- Driver in market is resistant glyphosate weeds





- FYFANON ULV + DECLARE
- SOYBEANS-MID APRIL 2010





### **Any Questions?**

