

# CHEMINOVA CONSULTANT'S PRODUCT UPDATE

RICHARD E. MYERS RESEARCH CONSULTANT



#### **TOPGUARD**

LABEL AND RECOMMENDATION CHANGES:

- 1.CROP ROTATION: SOYBEANS TO COTTON & CORN
- 2.<u>APRIL 2012 EXPECT LABEL ADDITIONS OF</u>: CORN, PEANUTS, GRAPES, SUGARBEETS, POME & STONE FRUITS.
- 3. RECOMMENDING TREATING SOYBEANS WITH 7 FL.OZ. @ R1



### TOPGUARD-Soybean 2011




- Landscape has changed
- Frogeye leafspot resistance to the stroby fungicides
- TOPGUARD has been the top performer
  - Systemic & residual activity reflected
  - Application Flexibility
  - Soybean Tolerance
  - Tank Mix Partner
  - Support from Universities



#### **TOPGUARD-Soybean-TN**

#### Dr. Melvin Newman-Frogeye Leafspot Lauderdale Co.-2011



Sprayed August 17 @R4; Induce @ 0.25% was added to all treatments Soybean Variety AG 4531




#### TOPGUARD-Soybean-TN Jason Hamlin-Consultant 2011

- Entire plot had an application of Headline 6 fl oz/A on August 01(R3) for frogeye leafspot (FLS)
- Control appeared questionable(resistance)
  - Confirmed by Dr. Bradley UIL on Aug 13
- On Aug 11(R 3.5) treatments of
  - TOPGUARD-7 fl oz/a
  - Stratego YLD 4.5 fl oz/a
  - Headline AMP 10 fl oz/a
- 12 GPA with twin Tee Jet nozzles
- Asgrow 4703 Variety



#### TOPGUARD-Soybean-TN Jason Hamlin-Consultant Frogeye Leafspot-2011



Rating scale 0-10, where 0= no FLS observed; 10=completely covered Application date for Headline Aug 01, other treatments Aug 11



#### TOPGUARD-Soybean-TN Jason Hamlin-Consultant Frogeye Leafspot-2011

- Comments from Jason Hamlin
  - Visual difference in plant health 5 days after the R3.5 application
  - None was noted in the Headline R3 application
  - TOPGUARD was the only treatment to protect the last 2 emerged trifoliates-which were not present at application



#### TOPGUARD-Soybean-TN Jason Hamlin-Consultant Frogeye Leafspot-2011



**TOPGUARD 7 FI Oz/A** 




Headline 6 FI Oz/A



**UNTREATED** 




#### TOPGUARD-Soybean-TN Jason Hamlin-Consultant 2011



Yield taken in 50 ft strips from each replicate-3 reps




#### TOPGUARD-Soybean-Tensas Parish-LA Howard Anderson-Consultant 2011



TOPGUARD & Stratego YLD applied at R1 (06/09) fb R4 (06/27) Stratego, GEM & Stratego applied at R4 (06/27)

### Evaluation of Three Low Dose Applications of Topguard on Cercospora Leaf Blight




Dr. Ray Schneider, LSU



#### TOPGUARD-Soybean 2012

- Product of choice for control of Frogeye Leafspot and Cercospora Leaf Blight
- Top performer compared to all fungicides for control of soybean rust
- Most systemic & residual fungicide
- Rainfastness in 2 hours
- Excellent tank mix partner
- Outstanding soybean selectivity



### **DECLARE**GAMMA CYHALOTHRIN

• 5<sup>th</sup> GENERATION PYRETHROID



## **DAVN**FOMESAFEN

COTTON (for glyphosate resistant weeds)

PREPLANT: 14 – 21 DAYS PRIOR TO PLANTING ON MEDIUM AND FINE TEXTURED SOILS

PREMERGENCE ON SANDY COARSE TEXTURED SOIL POSTEMERGENCE - DIRECTED SPRAY