

Weed Control Chart Ratings Based On

- Small actively growing weeds
- Proper timing
- Proper rate
- Good coverage

**Preplant Incorporated,
Preplant, Preemergence or
Delayed Preemergence
Weeds NOT listed in table**

Bolero PPS

Bolero PRE/DPRE

Clearpath

Command

Facet L

Gambit

Newpath or Preface (PPI/PRE)

Obey (PRE)

Pendimethalin + Facet (DPRE)

RiceOne

Sharpen

**Postemergence Group 1 Weeds
NOT Listed in Table**

2,4-D

Aim

Aim + Grandstand

Basagran

Beyond or Postscript

Blazer

Bolero + Propanil (RiceBeaux)

Broadhead

Clearpath

Clincher

Facet L

**Postemergence Group 2 Weeds
NOT Listed in Table**

Facet L + Propanil

Gambit

Grandstand

Grasp

Grasp Xtra

League

Londax

Loyant

Newpath or Preface

Obey

Permit/Halomax

**Postemergence Group 3 Weeds
NOT Listed in Table**

Permit/Halomax + Londax

Permit Plus

Propanil

Propanil + Aim

Propanil + Londax

Propanil + Permit/Halomax

Pendimethalin + Facet

Pendimethalin + Propanil

Provisia

RebelEX

Regiment

Experience with tank mixes with Provisia

- Aim
- Basagran
- Gambit
- League
- Londax
- Loyant
- Permit/Halomax

Annual Sedge Identification
in Vegetative State (without
reproductive structures)

Herbicide Resistance: Weed/Herbicide

- Suspected
- Confirmed

Jong Hyun Ham
Professor
Dept. Plant Pathology and Crop Physiology
LSU AgCenter/College of Agriculture
302 Life Sciences Building
Louisiana State University
Baton Rouge, LA 70803

Tel) 225-578-6798 Fax) 225-578-1415

Email) jham@agcenter.lsu.edu / jham2@lsu.edu